AUTHOR INDEX TO VOLUME 13

Bonnemason, P., 111

Chen, K.-M., 37
Corona, P., 23

De Bonitatibus, A., 23
Dhaene, T., 51
Dudka, V. G., 359

Ena, M. L., 157
Eremin, Yu. A., 1, 203

Ferrara, G., 23

Gennarelli, C., 23

Illinskij, A. S., 131

Katehi, P. B., 67
Khizhnyak, N. A., 389
Kirilenko, A. A., 301
Komar', G. I., 187
Kurin, V. G., 407, 417

Melezhik, P. N., 273

Nosich, A. I., 85, 169

Pochanina, I. E., 289
Poyedinchuk, A. Ye., 273

Revin, I. E., 407

Shestopalov, V. P., 407, 417
Shestopalov, Y. V., 133, 187, 239
Silin, R. A., 217
Sirenko, Yu. K., 255
Skirta, E. A., 389
Skrynnik, B. K., 407, 417
Smirnov, Y. G., 145
Stupfel, B., 111
Sveshnikov, A. G., 1, 203
Svezhentsev, A. Ye., 85
Svishchov, Yu. V., 375

Tuchkin, Yu. A., 319
Tysik, B. G., 301

VandenBerg, N. L., 67
Van Bladel, J., 95
Vavilov, V. N., 339
Veliev, E. I., 339
Veremey, N. V., 169
Veremey, V. V., 169

Wang, H., 37

Yashina, N. P., 289
Yermak, G. P., 407

Zutter, D. De, 51

AUTHOR INDEX TO VOLUME 13

Bonnemason, P., 111

Chen, K.-M., 37
Corona, P., 23

De Bonitatibus, A., 23
Dhaene, T., 51
Dudka, V. G., 359

Ena, M. L., 157
Eremin, Yu. A., 1, 203

Ferrara, G., 23

Gennarelli, C., 23

Illinskij, A. S., 131

Katehi, P. B., 67
Khizhnyak, N. A., 389
Kirilenko, A. A., 301
Komar', G. I., 187
Kurin, V. G., 407, 417

Melezhik, P. N., 273

Nosich, A. I., 85, 169

Pochanina, I. E., 289
Poyedinchuk, A. Ye., 273

Revin, I. E., 407

Shestopalov, V. P., 407, 417
Shestopalov, Y. V., 133, 187, 239
Silin, R. A., 217
Sirenko, Yu. K., 255
Skirta, E. A., 389
Skrynnik, B. K., 407, 417
Smirnov, Y. G., 145
Stupfel, B., 111
Sveshnikov, A. G., 1, 203
Svezhentsev, A. Ye., 85
Svishchov, Yu. V., 375

Tuchkin, Yu. A., 319
Tysik, B. G., 301

VandenBerg, N. L., 67
Van Bladel, J., 95
Vavilov, V. N., 339
Veliev, E. I., 339
Veremey, N. V., 169
Veremey, V. V., 169

Wang, H., 37

Yashina, N. P., 289
Yermak, G. P., 407

Zutter, D. De, 51

SUBJECT INDEX TO VOLUME 13

Accurate evaluation of backscattering by 90° dihedral corners, 23

Comparison of exact model with approximate for scalar wave scattering by a spherical segment, 359

Computations of characteristics of slot lines with conductors of finite thickness and arbitrarily located slots, 157
Connection of S-matrix of waveguide and periodical structures with complex frequency spectrum, 301

Dielectric properties of bulk anisotropic structures and multiphase mixtures, 389
Diffraction radiation generators in mm ranges, 407
Discrete source method in electromagnetic scattering problems, 203
Discrete source method for investigating three-dimensional electromagnetic scattering problems, 1
Discussion of Helmholtz' theorem, 95

Electrodynamical characteristics of two-dimensional open resonators with internal inhomogeneities, 273
Electrodynamic properties of open waveguide resonators, 289
Electromagnetic wave diffraction by cylindrical bodies with edges, 339
Electromagnetic wave diffraction on axially symmetric system of two spherical caps, 375
Experimental study of wave modes coupling in open resonator excited by electron flow, 417

Extended scattering matrix approach for transient analysis of coupled dispersive lossy transmission lines with arbitrary loads, 51

Generalized full-wave treatment of shielded multilayer structures using the vector wave function field expansion method, 67
Grating in the field of a compact monochromatic source, 255

Image slot line and its modifications, 187
Iterative loop-EMF method for calculating induced EM fields in finite bodies, 37

Mathematical modeling of high-frequency integral schemes, 217
Method of singular integral operator-valued functions for the transmission line problems, 415
Modeling high frequency scattering by axisymmetric perfectly or imperfectly conducting scatterers, 111
Morse critical points of dispersion equations of open resonators, 239

New method in wave diffraction theory by thin screens, 319
Non-linear eigenvalue problems in electrodynamics, 133

Principal and higher order modes of microstrip and slot lines on a cylindrical substrate, 85

TE excitation of an unclosed circular cylinder at the planar penetrable interface, 169